



Iowa Influenza Surveillance Network (IISN)  
 Influenza-like Illness (ILI) and Other Respiratory Viruses  
**Weekly Activity Report**  
 For the week ending May 14, 2022 - MMWR Week 19



All data presented in this report are provisional and may change as additional reports are received

| Quick Stats for Week 19                                     |  |   |  |   |
|---|--|---|--|---|
| <b>Predominant Flu at SHL</b><br><br>N/A                    | <b>Lab Survey Flu Positive %</b><br>Antigen 7.0%<br>Molecular 1.4% | <b>Hospitalization Rate per 10,000</b><br><br>48.87 | <b>Outpatient ILI %</b><br><br>1.27%     | <b>Cumulative Flu Deaths All Ages</b><br><br>42 |
| <b>Predominant Nonflu</b><br><br>Rhinovirus/Enterovirus PCR | <b>Schools Reporting 10% Illness</b><br><br>0                      | <b>Weekly School Illness %</b><br><br>2.3%          | <b>Long Term Care Outbreaks</b><br><br>0 | <b>Cumulative Pediatric Flu Deaths</b><br><br>0 |

**Flu Death Note:** Deaths are considered influenza-associated when influenza is listed on the death certificate. This is an underestimate of influenza-related deaths. Cumulative mortality totals are from 10/3/21 to the current week.

**NOTE: School data for week 52-53 are limited due to holiday closings**

**Iowa Statewide Activity Summary**

**Overall Influenza Activity: Low**

**Flu tests at SHL:** The State Hygienic Laboratory reported 0 influenza positive specimen(s) from specimens submitted.

**Antigen Tests:** There were 25 of 357 (7.0%) influenza antigen tests reported as positive on the Iowa respiratory virus survey.

**Molecular Tests:** There were 67 of 4,658 (1.4%) influenza molecular tests reported as positive on the Iowa respiratory virus survey.

**Flu Hospitalizations:** 8 influenza-related hospitalizations were reported from sentinel sites.

**Outpatient Influenza-like-illness (ILI):** The proportion of outpatient visits due to ILI was 1.27%, which is below the regional baseline of 1.7%.

**Flu Deaths:** 1 influenza-associated death was reported this week.

**Schools Reporting 10% Illness:** 0 schools reported 10% of students absent due to illness at least once this week.


**Outbreaks:** 0 long-term care influenza outbreaks were reported this week.

**Rhinovirus/Enterovirus PCR** was the most frequently reported non-influenza and non-COVID 19 respiratory testing target reported on the Iowa respiratory virus testing survey this week with 168 of 746 tests positive (22.5%).

## International Influenza Activity Summary - WHO

### Percentage of respiratory specimens that tested positive for influenza By influenza transmission zone

Map generated on 29 April 2022



The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Data source: Global Influenza Surveillance and Response System (GISRS), FluNet ([www.who.int/flu-net](http://www.who.int/flu-net))  
Copyright WHO 2022. All rights reserved.



Data Source: Global Influenza and Response System (GISRS), FluNet ([www.who.int/flu-net](http://www.who.int/flu-net)). Visit <https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-update> for more information.

## National Influenza Like Illness (ILI) Activity - CDC



This map shows influenza-like illness, which is determined by symptoms such as fever, cough, and sore throat that can be caused by a number of pathogens in addition to influenza (e.g., COVID-19). Detailed information can be found online at [www.cdc.gov/flu/weekly/](http://www.cdc.gov/flu/weekly/).


# Influenza Testing at the State Hygienic Laboratory at the University of Iowa (SHL)

## Cumulative Influenza Viruses Detected by SHL by Age Group (10/3/2021 - Current Week)

| Age Group    | Influenza A   |            |                |           | Total      | Influenza B |            |                | Total    |
|--------------|---------------|------------|----------------|-----------|------------|-------------|------------|----------------|----------|
|              | A(H1N1) pdm09 | A(H3)      | A not subtyped | A Variant |            | B Victoria  | B Yamagata | B not subtyped |          |
| 0-4          | 0             | 18         | 0              | 0         | 18         | 0           | 0          | 0              | 0        |
| 5-17         | 0             | 29         | 0              | 0         | 29         | 0           | 0          | 0              | 0        |
| 18-24        | 0             | 50         | 1              | 0         | 51         | 0           | 0          | 0              | 0        |
| 25-49        | 0             | 13         | 0              | 0         | 13         | 0           | 0          | 0              | 0        |
| 50-64        | 0             | 12         | 0              | 0         | 12         | 0           | 0          | 0              | 0        |
| 65 +         | 0             | 22         | 0              | 0         | 22         | 0           | 0          | 0              | 0        |
| <b>Total</b> | <b>0</b>      | <b>144</b> | <b>1</b>       | <b>0</b>  | <b>145</b> | <b>0</b>    | <b>0</b>   | <b>0</b>       | <b>0</b> |

**Table Note:** Cell counts of three or less are sometimes suppressed to protect confidentiality. Totals by age may not add up to totals by subtype/lineage due to missing age information. Only cases of Iowa residents are included. Specimens listed as “not subtyped” may be pending or were not able to be subtyped due to weak positive lab results. This can be due to poor collection, timing of collection or stage of infection.


## Influenza Viruses Detected by SHL by Week (10/3/21 - Current Week)




**Graph Note:** Only viruses that have been assigned a subtype or lineage are shown.

**SHL Flu Testing Note:** The State Hygienic Laboratory (SHL) is the primary laboratory in Iowa characterizing specimens for influenza surveillance. SHL reports the number of tests performed and the type and subtype/lineage of positive tests to the influenza surveillance network daily. SHL also sends a portion of specimens to CDC for further characterization.

## Number of Influenza Molecular Tests and Positive Percentage



## Number of Influenza Antigen Tests and Positive Percentage



## Iowa Respiratory Survey - Influenza

### Flu Tests and Positivity by Region - Current Week

| Flu Region   | Antigen          |                              |                  |                              | Molecular        |                              |
|--------------|------------------|------------------------------|------------------|------------------------------|------------------|------------------------------|
|              | Flu A            |                              | Flu B            |                              | Flu A            |                              |
|              | Number Positives | Positive Percent by Flu Type | Number Positives | Positive Percent by Flu Type | Number Positives | Positive Percent by Flu Type |
| 1-C          | 6                | 8.0%                         | 1                | 1.3%                         | 17               | 2.1%                         |
| 2-NE         | 0                |                              | 0                |                              | 2                | 1.1%                         |
| 3-NW         | 5                | 6.0%                         | 3                | 3.6%                         | 1                | 0.5%                         |
| 4-SW         | 0                |                              | 0                |                              | 1                | 1.8%                         |
| 5-SE         | 0                | 0.0%                         | 0                | 0.0%                         | 0                |                              |
| 6-E          | 9                | 10.5%                        | 1                | 1.2%                         | 46               | 1.4%                         |
| <b>Total</b> | <b>20</b>        | <b>5.6%</b>                  | <b>5</b>         | <b>1.4%</b>                  | <b>67</b>        | <b>1.4%</b>                  |

**Table Note:** Only tests with at least one positive this week are shown.


**Respiratory Survey Note:** IDPH and SHL run a weekly web-based survey program where laboratorians report the number of influenza and respiratory syncytial virus (RSV) rapid tests performed and the number of tests positive. Facilities reported the total number of tests and positive results, not individual-level information.

## Outpatient Health Care Provider Surveillance Program (ILINet)

### Percent Of Outpatient Visits Attributed to Influenza-like Illness (ILI) as Reported by ILINet Sites

2017-18    2018-19    2019-20    2020-21    2021-22

#### ILI by Season



#### ILI Recent Weeks

| MMWR Week | End Date  | Age 0-4 | Age 5-24 | Age 25-49 | Age 50-64 | Age 65 and older | Total ILI | ILI Pct |
|-----------|-----------|---------|----------|-----------|-----------|------------------|-----------|---------|
| 17        | 4/30/2022 | 10      | 26       | 9         | 3         | 8                | 56        | 1.14%   |
| 18        | 5/7/2022  | 10      | 24       | 12        | 5         | 7                | 58        | 1.24%   |
| 19        | 5/14/2022 | 11      | 18       | 3         | 7         | 6                | 45        | 1.27%   |

**Outpatient ILI Note:** Outpatient health care providers who participate in the ILINet (a national influenza surveillance program) report the number of patients seen with influenza-like illness and the total number of patient visits each week. Iowa health care providers interested in joining this surveillance program should contact Andy Weigel at 515-322-1937 or [andy.weigel@idph.iowa.gov](mailto:andy.weigel@idph.iowa.gov) for more information. The ILI Definition has changed for 2021-22 so that persons with ILI symptoms (cough, sore throat, fever) will be counted even if positive for other respiratory illness (e.g., COVID-19) which makes comparison across seasons difficult.


## Iowa Department of Public Health Data Tracking Portal - Flu Vaccine

Visit the Iowa Public Health Tracking Portal Influenza Vaccine Data page for details on Iowa Flu Vaccine Coverage: <https://tracking.idph.iowa.gov/Health/Immunization/Influenza-Vaccine/Influenza-Vaccine-Data>

County - Use the drop-down menu to change the data shown.  
All

#### All County Flu Vaccine Time Trend as of 5/13/2022 12:15:10 PM

The All County Percent of Population Receiving Flu Vaccine is shown as the Blue Line.  
The State Percent of Population Receiving Flu Vaccine is shown as the Orange Line.



#### State of Iowa Flu Vaccine Time Trend


| Flu Season | Percent of Population .. | Persons Receiving Flu .. |
|------------|--------------------------|--------------------------|
| 2017-2018  | 34.5%                    | 1,085,725                |
| 2018-2019  | 38.0%                    | 1,200,733                |
| 2019-2020  | 40.6%                    | 1,280,656                |
| 2020-2021  | 38.5%                    | 1,219,500                |
| 2021-2022  | 33.8%                    | 1,069,552                |

#### All County Flu Vaccine Time Trend

| Flu Season | Percent of Population .. | Persons Receiving Flu .. |
|------------|--------------------------|--------------------------|
| 2017-2018  | 34.5%                    | 1,085,725                |
| 2018-2019  | 38.0%                    | 1,200,733                |
| 2019-2020  | 40.6%                    | 1,280,656                |
| 2020-2021  | 38.5%                    | 1,219,500                |
| 2021-2022  | 33.8%                    | 1,069,552                |

# Influenza-associated Hospitalizations

## Influenza-associated Hospitalization Rate Reported by Hospital Surveillance Sites - by Season




## Number of Influenza-Associated Hospitalizations by Age Group

| Age Group    | Current Week Flu Hospitalizations | Cumulative Flu Hospitalizations |
|--------------|-----------------------------------|---------------------------------|
| 0-4          | 0                                 | 45                              |
| 5-24         | 0                                 | 59                              |
| 25-49        | 1                                 | 42                              |
| 50-64        | 3                                 | 50                              |
| 65+          | 4                                 | 125                             |
| <b>Total</b> | <b>8</b>                          | <b>321</b>                      |

**Hospital Surveillance Note:** Sentinel hospitals that participate in IISN voluntarily track and report the number of influenza-associated hospitalizations and the total number of inpatients each week. Iowa hospitals interested in joining this surveillance program should contact Andy Weigel at 515-322-1937 or [andy.weigel@idph.iowa.gov](mailto:andy.weigel@idph.iowa.gov) for more information.

## Long Term Care Facility Influenza Outbreaks

### Influenza Outbreaks by Week and Region



Long Term Care Facility Outbreaks Note: An outbreak in a care facility is defined as at least two residents with suspected influenza in the same area of a facility having an illness onset within 72 hours of each other. At least one of the resident with suspected influenza must also have a lab-confirmed influenza positive.


### Long Term Care Influenza Outbreaks Investigated by Region

| Flu Region Text | Current Week | Cumulative |
|-----------------|--------------|------------|
| 1-C             | 0            | 1          |
| 2-NE            | 0            | 2          |
| 3-NW            | 0            | 1          |
| 4-SW            | 0            | 0          |
| 5-SE            | 0            | 2          |
| 6-E             | 0            | 3          |
| <b>Total</b>    | <b>0</b>     | <b>9</b>   |

See the map in the school section for the counties in each flu region.


# School Illness Surveillance Program

## Percent of Enrolled Students Absent Due to Illness Reported by Sentinel Schools



**NOTE: School data for week 52-53 are limited due to holiday closings**

## Counties with 10% School Illness 5/8/2022 - 5/14/2022




**School Illness Note:** IDPH monitors illnesses in schools from two different types of reporting: 10 percent school absence reports and weekly sentinel illness reporting. Iowa schools (K-12) track and report when the number of students absent with any illness reaches or exceeds 10 percent of total student enrollment. Iowa sentinel schools that participate in IISN voluntarily track and report absence due to all illness and the total enrollment each week.



# Iowa Respiratory Virus Survey - Non-influenza

## Number of Positive Non-influenza Respiratory Viruses by Pathogen and Week



**Table Note:** Pathogens are grouped together if even if reported to IDPH as separate types or subtypes (e.g., Parainfluenza Viruses 1, 2, 3, and 4). Only pathogens with at least one positive result this season are shown.

## Number of Non-influenza Molecular Positive Results for Current Week and Cumulative

| Pathogen (group)           | Current Week Positives | Cumulative Positives |
|----------------------------|------------------------|----------------------|
| Rhinovirus/Enterovirus     | 168                    | 11,294               |
| Parainfluenza virus        | 65                     | 3,046                |
| Coronavirus (not COVID-19) | 29                     | 2,251                |
| Adenovirus                 | 25                     | 2,488                |
| HMPV                       | 20                     | 3,132                |
| RSV                        | 16                     | 3,486                |

**Table Note:** Only pathogens with at least one positive result are shown.

**Respiratory Survey note:** IDPH and SHL run a weekly web-based survey program where laboratorians report the number of non-influenza respiratory virus tests performed and the number of positive results. Facilities reported the total number of tests and positive results not individual-level information.